



Through this publication, the Government of the Country of Curaçao announces that the rates for electricity and water shall be adjusted as per 1 April 2016. The current and new rates are listed in the table below.

Rates group Electricity	kWh	Rate in NAF Current			Rate in NAF Per 1 April 2016		
		Basic rate	Fuel	Total	Base rate	Fuel	Total
01 Domestic ¹	≤ 250	0,2904	0,1745	0,4649	0,2904	0,1860	0,4764
	250 < x ≤ 350	0,3967	0,1745	0,5712	0,3967	0,1860	0,5827
	> 350	0,4409	0,1745	0,6154	0,4409	0,1860	0,6269
02 Corporate	≥ 0	0,4001	0,1745	0,5746	0,4001	0,1860	0,5861
22 Industry standard ²	High ³	0,3004	0,1745	0,4749	0,3004	0,1860	0,4864
	Low ⁴	0,2949	0,1745	0,4694	0,2949	0,1860	0,4809
23 Industry export-oriented ²	High ³	0,1705	0,1745	0,3450	0,1705	0,1860	0,3565
	Low ⁴	0,1651	0,1745	0,3396	0,1651	0,1860	0,3511
24 Industry import-replacing ²	High ³	0,2352	0,1745	0,4097	0,2352	0,1860	0,4212
	Low ⁴	0,2294	0,1745	0,4039	0,2294	0,1860	0,4154
33 Hospital	High ³	0,1471	0,1745	0,3216	0,1471	0,1860	0,3331
	Low ⁴	0,1322	0,1745	0,3067	0,1322	0,1860	0,3182
¹ Postpaid and prepaid							
² kVA surcharge unchanged							
³ High: 06.00 hours - 22.00 hours							
⁴ Low: 22.00 hours - 06.00 hours							

Rate group Water	m3	Rate in NAF Current			Rate in NAF Per 1 April 2016		
		Basic rate	Fuel	Total	Base rate	Fuel	Total
A Domestic	≤ 9	5,6319	1,9788	7,6107	5,6319	1,9937	7,6256
	9 < x ≤ 12	10,7822	1,9788	12,7610	10,7822	1,9937	12,7759
	12 < x ≤ 20	12,7233	1,9788	14,7021	12,7233	1,9937	14,7170
	> 20	14,6870	1,9788	16,6658	14,6870	1,9937	16,6807
B Corporate	≥ 0	11,1519	1,9788	13,1307	11,1519	1,9937	13,1456
B Industry standard	≥ 0	11,1519	1,9788	13,1307	11,1519	1,9937	13,1456
C Industry export-oriented	≥ 0	10,2019	1,9788	12,1807	10,2019	1,9937	12,1956
B Industry import-replacing	≥ 0	11,1519	1,9788	13,1307	11,1519	1,9937	13,1456
C Hospital	≥ 0	10,2019	1,9788	12,1807	10,2019	1,9937	12,1956

Explanation

The rates for electricity and water will increase in April 2016. These increases are mainly caused by a positive correction regarding February due to a less favourable production mix. The actual use of production units with higher production costs was higher than planned and the actual use of production units with lower production costs was less than planned.