



Through this publication, the Government of Curaçao announces that the rates for electricity and water shall be adjusted as per 1 November 2020. The current and new rates are listed in the table below.

Rate group	kWh	Rate in NAF			Rate in NAF		
		Current			Per 1 November 2020		
Electricity		Basic rate	Fuel	Total	Base Rate	Fuel	Total
01 Domestic ¹	≤ 250	0,2904	0,2772	0,5676	0,2904	0,2585	0,5489
	250 < x ≤ 350	0,3967	0,2772	0,6739	0,3967	0,2585	0,6552
	> 350	0,4409	0,2772	0,7181	0,4409	0,2585	0,6994
02 Corporate	≥ 0	0,4001	0,2772	0,6773	0,4001	0,2585	0,6586
22 Industry standard ²	High ³	0,3004	0,2772	0,5776	0,3004	0,2585	0,5589
	Low ⁴	0,2949	0,2772	0,5721	0,2949	0,2585	0,5534
23 Industry export-oriented ²	High ³	0,1705	0,2772	0,4477	0,1705	0,2585	0,4290
	Low ⁴	0,1651	0,2772	0,4423	0,1651	0,2585	0,4236
24 Industry import-replacing ²	High ³	0,2352	0,2772	0,5124	0,2352	0,2585	0,4937
	Low ⁴	0,2294	0,2772	0,5066	0,2294	0,2585	0,4879
33 Hospital	High ³	0,1471	0,2772	0,4243	0,1471	0,2585	0,4056
	Low ⁴	0,1322	0,2772	0,4094	0,1322	0,2585	0,3907

¹ Postpaid and prepaid
² kVA surcharge unchanged
³ High: 06.00 hours - 22.00 hours
⁴ Low: 22.00 hours - 06.00 hours

Rate group Water	m3	Rate in NAF			Rate in NAF		
		Current			Per 1 November 2020		
		Basic rate	Fuel	Total	Base Rate	Fuel	Total
A Domestic	≤ 9	4,9289	3,2806	8,2095	4,9289	3,1482	8,0771
	9 < x ≤ 12	10,0792	3,2806	13,3598	10,0792	3,1482	13,2274
	12 < x ≤ 20	12,0203	3,2806	15,3009	12,0203	3,1482	15,1685
	> 20	13,9840	3,2806	17,2646	13,9840	3,1482	17,1322
B Corporate	≥ 0	10,4489	3,2806	13,7295	10,4489	3,1482	13,5971
B Industry standard	≥ 0	10,4489	3,2806	13,7295	10,4489	3,1482	13,5971
C Industry export-oriented	≥ 0	9,4989	3,2806	12,7795	9,4989	3,1482	12,6471
B Industry import-replacing	≥ 0	10,4489	3,2806	13,7295	10,4489	3,1482	13,5971
C Hospital	≥ 0	9,4989	3,2806	12,7795	9,4989	3,1482	12,6471

Explanation

The decrease in the electricity and water tariffs is caused by a decrease in the average fuel expenses and subsequent decrease in electricity costs for the production of water along with lower correction factors regarding September 2020.